


## Amendments to the Claims

1-14. (Cancelled)

15. (Currently amended) Polysiloxane represented by Formula (3):




wherein  $R^3$  ~~has the same meaning as that of  $R^1$  in Formula (1) defined in claim 1, is a group~~ selected independently from hydrogen, alkyl having 1 to 45 carbon atoms, substituted or unsubstituted aryl, and arylalkyl; in which in the alkyl optional hydrogen may be replaced by fluorine and optional  $-CH_2-$  may be replaced by  $-O-$ ,  $-CH=CH-$ , cycloalkylene, or cycloalkenylene, and arylalkyl is constituted of alkylene in which optional hydrogen may be replaced by fluorine and optional  $-CH_2-$  may be replaced by  $-O-$ ,  $-CH=CH-$  or cycloalkylene, and substituted or unsubstituted aryl, and m is an integer of 2 to 1000.

16. (Original) The polysiloxane according to claim 15, wherein m is an integer of 2 to 500.


17. (Original) The polysiloxane according to claim 15, wherein m is an integer of 2 to 50.

18. (Currently amended) Polysiloxane obtained by subjecting only the organosilicon compound represented by Formula (1) according to claim 1 to polycondensation reaction:  
reaction:



wherein each R<sup>1</sup> is a group selected independently from hydrogen, alkyl having 1 to 45 carbon atoms, substituted or unsubstituted aryl, and arylalkyl; in which in the alkyl optional hydrogen may be replaced by fluorine and optional -CH<sub>2</sub>- may be replaced by -O-, -CH=CH-, cycloalkylene, or cycloalkenylene, and arylalkyl is constituted of alkylene in which optional hydrogen may be replaced by fluorine and optional -CH<sub>2</sub>- may be replaced by -O-, -CH=CH- or cycloalkylene, and substituted or unsubstituted aryl.

19. (Currently amended) Polysiloxane obtained by reacting the organosilicon compound according to claim 4 18 with an organosilicon compound represented by Formula (8) having hydrolytic groups



wherein R<sup>6</sup> to R<sup>8</sup> have the same meaning as that of R<sup>1</sup> in Formula (1), R<sup>9</sup> and R<sup>10</sup> are a hydroxyl group or a hydrolytic group, and n is an integer of 2 to 500.

20. (Currently amended) Polysiloxane obtained by reacting the organosilicon compound according to claim 4 18 with an organosilicon compound represented by Formula (4), (5) or (8) having silanol



23. (Previously presented) The polysiloxane according to claim 19, wherein the hydrolytic groups are halosilyl groups.
24. (Previously presented) The polysiloxane according to claim 19, wherein the hydrolytic groups are aminosilyl groups.
25. (Currently amended) A production process for polysiloxane, characterized by subjecting the organosilicon compound according to claim ~~1~~ 18 to polycondensation reaction.
- 26-31. (Cancelled)